

IN THE CLAIMS

The claims have been amended as follows:

1. (Currently Amended) A heater for a liquid crystal display (LCD), comprising:
 - (i) a dummy cell,
 - (ii) said dummy cell being adapted for use in the LCD,
 - (iii) said dummy cell comprising two substrates with liquid crystal therebetween; a heater; and
 - (iv) a heater;
 - (v) said heater comprising a transparent conductive layer applied to one of the substrates;
 - (vi) wherein there are two conductive electrodes for the heater, one at each respective opposite side of the layer and secured thereto by a conductive adhesive;
 - (vii) electrically conductive spacing means of said dummy cell for simultaneously maintaining a desired cell gap and equalizing the electric potential between said two substrates; and
 - (viii) the heater being embedded in the dummy cell.

2. (Original) A heater as defined in Claim 1, wherein the heater comprises an indium tin oxide (ITO) heater.

3. (Withdrawn - Currently Amended) A heater as defined in Claim 1, wherein said LCD comprises liquid crystal display, comprising
 - (i) an active liquid crystal cell for optical modulation;
 - (ii) said a-dummy cell is adapted for optical compensation;
 - (iii) said dummy cell comprising two substrates with liquid crystal therebetween;
 - ~~(iv) a heater;~~
 - ~~(v)~~(iv) said Said heater comprising a transparent conductive layer applied to one of said substrates; and

(vi)(v) _____ electrically conductive spacing means of said dummy cell for simultaneously maintaining a desired cell gap and equalizing the electrical potential between said two substrates.

4. (Withdrawn - Currently Amended) A heater ~~An LCD~~ as defined in Claim 3, wherein there are two conductive electrodes for the heater, one at each respective opposite side of the layer and secured thereto by a conductive adhesive.

5. (Withdrawn - Currently Amended) A heater ~~An LCD~~ as defined in Claim 4, wherein the conductive adhesive comprises an anisotropic electrically conductive film.

6. (Withdrawn - Original) A heater as defined in Claim 4, wherein the conductive adhesive comprises electrically conductive glue.

7. (Withdrawn - Currently Amended) A heater ~~An LCD~~ as defined in Claim 4, wherein the electrodes each comprises an elongate metal electrode, and wherein the electrodes comprise substantially parallel electrodes.

8. (Withdrawn - Currently Amended) A heater ~~An LCD~~ as defined in Claim 7, wherein the metal electrodes each comprise a metal strip or rod.

9. (Withdrawn - Currently Amended) A heater ~~An LCD~~ as defined in Claim 4, wherein the electrodes each comprise a flexible printed circuit.

10. (Withdrawn - Currently Amended) A heater ~~An LCD~~ as defined in Claim 4, wherein the electrodes each comprise a heat seal.

11. (Withdrawn - Currently Amended) A heater ~~An LCD~~ as defined in Claim 4, wherein there is a protective coating for the electrodes.

12. (Withdrawn - Currently Amended) A heater ~~An LCD~~ as defined in Claim 4, wherein there is mechanical means to enhance electrical contact between the ITO heater surface and the conductive electrodes.
13. (Withdrawn - Original) A heater as defined in Claim 4, wherein there is a protective and insulating coating for the electrodes.
14. (Withdrawn - Original) A heater as defined in according to Claim 11, wherein the coating comprises silicone.
15. (Withdrawn - Original) A heater as defined in Claim 12, wherein the mechanical means comprises means selected from the group consisting of mechanical clips and clipping devices.
16. (Withdrawn - Original) A heater as defined in Claim 4, wherein the adhesive has electronically conductive beads incorporated therein.
17. (Withdrawn - Currently Amended) A heater ~~An LCD~~ as defined in Claim 3, wherein the substrate of the heater comprises a transparent substrate of the dummy cell.
18. (Withdrawn - Currently Amended) A heater ~~An LCD~~ as defined in Claim 17, wherein the heater comprises an upper (as viewed) substrate of the dummy cell.
19. (Withdrawn - Currently Amended) A heater ~~An LCD~~ as defined in Claim 17, wherein the heater comprises a lower (as viewed) substrate of the dummy cell.
20. (Withdrawn - Currently Amended) A heater ~~An LCD~~ as defined in Claim 17, wherein the heater comprises upper and lower (as viewed) substrates of the dummy cell.
21. (Withdrawn - Currently Amended) A heater ~~An LCD display~~ as defined in Claim 17, wherein transparent substrates of the dummy cell and heater are laminated by a conductive perimeter adhesive.

22. (Withdrawn - Currently Amended) A heater ~~An LCD display~~ as defined in Claim 18, wherein transparent substrates of the dummy cell and heater are laminated by a conductive perimeter adhesive.

23. (Withdrawn - Currently Amended) A heater ~~An LCD display~~ as defined in Claim 19, wherein transparent substrates of the dummy cell and heater are laminated by a conductive perimeter adhesive.

24. (Withdrawn - Currently Amended) A heater ~~An LCD display~~ as defined in Claim 20, wherein transparent substrates of the dummy cell and heater are laminated by a conductive perimeter adhesive.

25. (Withdrawn - Currently Amended) A heater ~~An LCD~~ as defined in Claim 19, wherein the adhesive comprises an epoxy resin.

26. (Withdrawn - Currently Amended) A heater ~~An LCD~~ as defined in Claim 25, wherein the adhesive comprises an epoxy resin and conductive spacers.

27. (Withdrawn - Currently Amended) A heater ~~An LCD~~ as defined in Claim 23, wherein the epoxy resin comprises a conductive epoxy of high resistivity.

28. (Withdrawn - Currently Amended) A heater ~~An LCD~~ as defined in Claims 17, wherein the substrate of the heater comprises glass.

29. (Withdrawn - Currently Amended) A heater ~~An LCD~~ as defined in Claim 17, wherein the heater is in contact with the liquid crystal.

30. (Withdrawn - Currently Amended) A heater ~~An LCD~~ as defined in Claim 3, wherein the electrodes are connected with a source of electrical power.

31. (Withdrawn - Currently Amended) A heater ~~An LCD~~ as defined in Claim 3, wherein the heater comprises an indium tin oxide (ITO) heater.

32. (Withdrawn - Currently Amended) A heater ~~A liquid crystal display~~ as defined in Claim 3, wherein the display comprises an active liquid crystal cell for light modulation, and a dummy cell adapted for optical compensation comprising two substrates with liquid crystal there between, wherein the transparent conductive layer of the heater is formed on one of the substrates of the dummy cell, and wherein the dummy cell further comprises electrically conductive spacing means for simultaneously maintaining the desired cell gap and equalizing the electrical potential between the two substrates.

33. (Withdrawn - Original) A device, wherein there is an LCD as defined in Claim 3.

34. (Withdrawn - Original) A device as defined in Claim 30, wherein said device is mounted in a vehicle.